



Installation & Warranty Registration D2-FM-008-CTI [CA Temperature-Independent]

PLEASE FILL OUT AND FAX BACK THIS FORM RIGHT AFTER INSTALLATION TO 1-905-672-5949 TO KEEP WARRANTY COVERAGE. ENSURE IT IS COMPLETE AND LEGIBLE. A COPY MUST BE GIVEN TO THE END-USER. KEEP A COPY FOR YOUR RECORDS.

Customer Information

Dealer/Installer Company Name:	Dealer/Installer Address	Dealer/Installer Contact (Name/Phone/Email):
Customer/End-User Company Name:	Vehicle/Equipment Location:	Customer/End-User Address/Contact (Name/Phone):

Vehicle/Equipment Information

Vehicle/Equipment Make and Year:	Vehicle/Equipment Model and Type:	Vehicle/Equipment Serial No.:
Vehicle/Equipment Voltage: <input type="checkbox"/> 12 V <input type="checkbox"/> 24 V	Engine Make:	Engine Year and Model:
Engine Serial No.:	Engine Family:	Engine Power (rated hp) and Displacement:
Engine Oil Used:	Diesel Type:	Service Interval (hours):

Emission Control Technology

Model:	Description:	Emission Control Technology Serial No.:
DPF Serial No.:	DOC Serial No.:	SCR Serial No.:
Executive Order No./Diesel Emission Control Strategy Family Name:	Vehicle/Equipment Hours at Installation:	Date of Installation:
System Fully Functional: <input type="checkbox"/> Yes <input type="checkbox"/> No	If no, list issues to correct before installation:	

Installation Training Confirmation

Trainer's Full Name:	
----------------------	--

I hereby confirm that _____ from _____, has received, understood, and is ready to apply the following installation, setup and maintenance training:

(Trainee/Installer Name) (company)

☐ Review of pre-installation compatibility assessment criteria and their compliance (please fill out the check list on page 3 of this form)

☐ Review of the effects of engine maintenance on the emission control strategy's performance

☐ Identification of all warning and/or fault alarms and appropriate end-user responses

☐ Cleaning and maintenance information for the emission control strategy

☐ Review of major components, system installation and setup

Installation Training Certificate

☐ I have obtained a Certificate of Training Completion from Nett Technologies

Obligations

☐ I understand my rights and obligations as an authorized installer as set out in 13 CCR § 2700-2711 requirements (see page 2 and 3 for more details)

☐ I have performed pre-installation assessment of the equipment/vehicle and can confirm that it meets all the required compatibility criteria for installation

Authorized Installer Signature: _____ **Date:** _____



Installation Training & Warranty Registration D2-FM-008-CTI [CA Temperature-Independent]

1. Authorized Installer (Dealer/Distributor) Requirements and Obligations

1.1. The installer of the Nett Technologies Inc. Diesel Emission Control Strategy (DECS) must be authorized and trained by the party that holds the verification, i.e., Nett Technologies Inc., for the DECS. The installer is also responsible to train the end-user at the time of commissioning. The Owner's manual must be made available to the end-user after installation.

1.2. The installer of the Nett Technologies Inc. DECS must comply with the pre-installation assessment requirements in 13 CCR § 2706(t).

In general, the authorized installer (i.e., the party conducting the pre-installation compatibility assessment) must ensure that a candidate engine being considered for retrofit is compatible with the verified DECS by ensuring that each candidate engine meets all the terms and conditions of the **Executive Order** prior to installation. To determine the suitability, a smoke opacity limit, oil consumption limits, fuel inspection requirements, visual inspections, exhaust gas temperature requirement (if applicable) and other assessment criteria must be used to determine that the candidate engine is appropriate for use with the DECS and that the candidate engine is in a proper state of maintenance and operating within the engine manufacturers specifications. The party performing the installation/commissioning of the DECS must maintain a record of all documentation used to make the determination that the candidate engine was appropriate for use with the DECS (i.e., the pre-installation compatibility assessment and commissioning reports). These documents must be submitted to Nett Technologies Inc. and the end-user. In addition, the installer must keep track of all future assessments and installations for future reporting purposes.

1.3. All installations must strictly adhere to the requirements of the party that holds the verification for the diesel emissions control strategy, i.e., Nett Technologies Inc., and must not relocate the original equipment manufacturers exhaust system:

- 1.3.1. Over any occupied space (e.g., driver or passenger compartments); or
- 1.3.2. That would result in any noncompliance with any applicable safety standards; or
- 1.3.3. Any other location deemed unacceptable by Nett Technologies Inc.

See your Owner's Manual for more information.

Any party that installs a diesel emission control strategy must offer a warranty pursuant to section 13 CCR § 2707(a)(2):

"The installer must furnish the owner with a copy of the following statement:

YOUR WARRANTY RIGHTS AND OBLIGATIONS

(**Installer's name**) must warrant that the installation of a diesel emission control system is free from defects in workmanship or materials which cause the diesel emission control system to fail to conform to the emission control performance level it was verified to, or to the requirements in the California Code of Regulations, Title 13, Sections 2700 to 2706. The warranty period and the extent of the warranty coverage provided by (**Installer's name**) must be the same as the warranty provided by Nett Technologies Inc., and the same exclusions must apply.

OWNER'S WARRANTY RESPONSIBILITY

As the vehicle, engine, or equipment owner, you are responsible for presenting your vehicle, engine, or equipment, and diesel emission control system to (**Installer's name**) as soon as a problem with the installation is detected.

If you have questions regarding your warranty rights and responsibilities, you should contact Nett Technologies Inc. at 1-800-361-6388 or the California Air Resources Board at 9528 Telstar Avenue, El Monte, California 91731, or (800) 363-7664, or electronic mail: helpline@arb.ca.gov."

With respect to system labeling, the installer must ensure that the label is visible after installation. In the event that the original strategy label is damaged, destroyed, or missing, Nett Technologies Inc. shall issue an ARB approved replacement. The end-user must notify Nett Technologies Inc. in the event of a damaged, destroyed, or missing original strategy label.

Proper engine maintenance is critical for the proper functioning of your diesel emission control strategy. Failure to document proper engine maintenance by the installer and end-user, including oil consumption records, may be grounds for denial of a warranty claim for a failed component of a diesel emission control strategy. In addition, proper maintenance is critical for the diesel emission control strategy to function as intended. Failure to document proper diesel emission control strategy maintenance, including cleaning and/or ash removal of the system, replacement of consumables, and replacement of broken/failed parts, may be grounds for denial of a warranty claim for a failed component of a diesel emission control strategy. See your Owner's Manual for more information.

As an authorized installer, you are required to track all Warranty Claims. In addition, you must report annually by March 1st to Nett Technologies Inc. and CARB an Installation Warranty Report outlining all the installations of emission control technologies for the previous year, and any installation warranty claims for the previous year. See CARB memo ECAR-14-02 "Annual Reporting Format for Installers and Manufacturers of Diesel Emission Control Strategies".

NOTE: This is a list of key requirements and obligations. For a full list of obligations, please see 13 CCR § 2700-2711. Consequences may arise if the installer does not comply with these regulations and has not gone through the certified training. In the case of failure, if the end-user pursues a warranty claim, CARB will issue a Violation Notice and the party involved could be subject to fines and/or other penalties.

2. Pre-installation Compatibility Assessment Criteria

Please go through and fill out the following check list and sign the form. If any of the shaded boxes have been checked, the engine/vehicle fails the pre-assessment and should not be retrofit without further consultation with Nett Technologies Inc..

Pre-installation check list for Authorized Installer

Engine Characteristics and Maintenance History	Yes	No
Do the candidate engine characteristics meet all terms and conditions of the Executive Order letter (model year, engine family, engine configuration, etc.) for the retrofit device being considered?		
Does the diesel fuel used comply with terms and conditions of retrofit device Executive Order letter (sulfur level, biodiesel specification, fuel additives)?		
Does the engine oil consumption rate exceed the limit given by the manufacturer?		
Is there a history of turbocharger replacements? More than two in past 3 years?		
Is there a history of fuel injector replacements? More than two in past 3 years?		
Is there a history of cylinder valve replacements? More than once in past 3 years?		
Visual Inspection	Yes	No
Are there any visual integrity problems in the exhaust system (exhaust leaks – manifold to tailpipe)?		
Are there any audible combustion problems?		
Is the intake air filter in good condition?		
Are there any indications of air intake system leaks (visible signs of leaks at seal connectors, visible cracks in the charge air cooler, audible turbo spooling problems, high tailpipe opacity)?		
Are there any visible signs of engine oil or diesel fuel present in exhaust system?		
Are there any visible signs of leaks from the turbocharger seals?		
Are there any visible signs of excessive crankcase vent tube emissions or dripping oil at the vent tube?		
Has the fuel pump and governor setting been tampered with?		
Does the Engine Control Module show any active error codes?		
Is there available space for the retrofit?		
Is the smoke level within the specification of the engine Tier level?		

Authorized Installer Signature:

_____ **Date:** _____